

SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE/PREPARATION & COMPANY

PRODUCT NAME PRESPOTTER P

CHEMICAL FAMILY Dry Cleaning Intensifier.

COMPANY NAME COLE & WILSON LTD, NABBS LANE, SLAITHWAITE, HUDDERSFIELD, W. YORKSHIRE, HD7 5AT

EMERGENCY TELEPHONE 01484 842353

EMAIL info@colewilson.co.uk

2. HAZARD IDENTIFICATION

RISK PHRASES None required.

SAFETY PHRASES None required but suggest S24/25.

3. COMPOSITION/INFORMATION ON INGREDIENTS

CHEMICAL CHARACTERISATION	69011-36-5	c13 Alcohols ethoxylated	5 - 10 %
	85711-69-9	Sodium alkylsulphontes	5 - 10 %
	577-11-7	Dioctyl Sodium Sulphosuccinate	5 - 10 %
	112-34-5	Butyl diglycol	1 - 5 %

4. FIRST AID MEASURES

INHALATION Remove from exposure and keep warm. Seek medical attention.

SKIN CONTACT Wash off with water.

EYE CONTACT Irrigate with plenty of water and seek medical advice.

INGESTION If more than a few drops swallowed give patient water to drink.
Do not induce vomiting. Seek medical advice.

FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA Carbon dioxide, dry powder, sand, foam or water spray.

SPECIAL PRECAUTIONS Self contained breathing apparatus and full protective clothing should be worn.

PRODUCT NAME

PRE-SPOTTER P .

6. ACCIDENTAL RELEASE MEASURES

METHODS FOR CLEANING UP Take up with absorbent material e.g. sand, sawdust. Rinse away remainder with water.

Environmental precautions Do not allow to get into waste water or waterways.

7. HANDLING AND STORAGE

Advice on Protection against Fire and Explosion. Wear eye protection, gloves and protective clothing.
Store in a cool, dry place away from foodstuffs.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTION. Observe normal standards of industrial hygiene for handling chemicals.
Wear gloves, protective goggles.

Occupational Exposure LIMITS. The threshold limit value for mineral oil mist is 5mg/m³ 8hr TWA.

9. PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE Clear/hazy liquid.

COLOUR Yellow.

ODOUR Characteristic.

CHANGES IN PHYSICAL STATE Boiling point >100°C (water phase)

FLASH POINT 61° closed cup.

IGNITION TEM. >200°C.

DENSITY 0.980 @ 15°.

SOLUBILITY Emulsifiable in water.

pH VALUE 7/8.

VISCOSITY at 20°C approx. 90cps.

PRODUCT NAME

PRESPOTTER P

10. STABILITY & REACTIVITY

THERMAL DECOMPOSITION >150°C.

HAZARDOUS REACTIONS Not determined.

HAZARDOUS DECOMPOSITION PRODUCTS Oxides of carbon, sulphur and nitrogen.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY Expected to possess a relative low degree of acute oral toxicity.

DERMAL COMPATIBILITY Expected to be relatively non toxic by dermal route.

MUCOUS MEMBRANE COMPATIBILITY Expected to cause irritation to the nose, eyes and upper respiratory tract.

12. ECOLOGICAL INFORMATION

ECOTOXICITY Apart from the mineral oil component, the surfactants in this product are highly biodegradeable.

Other ecological information. Do not release into surface waters.

13. DISPOSAL CONSIDERATIONS

ADVICE ON DISPOSAL In accordance with local authority regulations e.g. special waste disposal or incinerate.

14. TRANSPORT INFORMATION

UNITED NATIONS NUMBER None.

PACKAGING GROUP Not classified.

IMDG PAGE NO. Not classified.

MARINE POLLUTANT No.

TREM CARD NUMBER None.

PRODUCT NAME PRESPOTTER P

15. REGULATORY INFORMATION

This product is not classified as dangerous. The classification for this product has been arrived at after using the result from conventional method modified, after taking into account the likely effects in man.

RISK PHRASES None.

SAFETY PHRASES S24/25: Avoid contact with skin and eyes.

WATER HAZARD CLASS (WGK) 1 self classification.

16. OTHER INFORMATION.

Date of issue 11th July 2010

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.

M.P.SULLIVAN, CHEMIST