

Printing date 26.05.2009 Revision: 26.05.2009

## 1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: Deprit Professional 4

· Article number: 2301

· Application of the substance / the preparation

Postspotting agent for textile cleaning, stain remover for oil, grease, makeup, adhesives, paint, and resin

· Manufacturer/Supplier:

Chemische Fabrik Kreussler & Co. GmbH

Postfach 120454 D-65082 Wiesbaden

· Further information obtainable from:

Abteilung TQM Herr Vogel +49 (0) 611 9271-175 Stefan.Kopp@kreussler.com

· Information in case of emergency: +49 (0) 611 9271-0

### 2 Hazards identification

· Hazard description:

Xn Harmful

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 10 Flammable.

R 65 Harmful: may cause lung damage if swallowed.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

### 3 Composition/information on ingredients

- · Chemical characterization
- · **Description**: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:					
CAS: 68551-17-7 EINECS: 271-366-9		Xn; R 65-66	≥50%		
CAS: 123-86-4 EINECS: 204-658-1	n-butyl acetate	R 10-66-67	30-50%		
· Ingredients according to detergent regulation EC 648/2004					

Ingredients according to detergent regulation EC 648/2004	
Aliphatic hydrocarbons	≥ 30%

· Additional information: For the wording of the listed risk phrases refer to section 16.

#### 4 First-aid measures

- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Rinse with warm water.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

### 5 Fire-fighting measures

· Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

(Contd. on page 2)



Printing date 26.05.2009 Revision: 26.05.2009

**Trade name: Deprit Professional 4** 

(Contd. of page 1)

· For safety reasons unsuitable extinguishing agents: Water

· Special hazards caused by the substance, its products of combustion or resulting gases:

In case of fire, the following can be released:

Carbon monoxide (CO)

· Protective equipment:

Use normal protective clothing.

Wear self-contained respiratory protective device.

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

#### · Person-related safety precautions:

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

· Additional information:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Information for safe handling:

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

## 8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

## 123-86-4 n-butyl acetate (30-50%)

WEL Short-term value: 966 mg/m³, 200 ppm Long-term value: 724 mg/m³, 150 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid close or long term contact with the skin.

Do not eat, drink, smoke or sniff while working.

Be sure to clean skin thoroughly after work and before breaks.

Keep away from foodstuffs, beverages and food.

Wash hands before breaks and at the end of work.

(Contd. on page 3)

(Contd. of page 2)



# Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 26.05.2009 Revision: 26.05.2009

**Trade name: Deprit Professional 4** 

· Respiratory protection: Not required.

· Protection of hands:



Protective gloves

· Material of gloves

PVC or PE gloves

Recommended thickness of the material:  $\geq 0.4$  mm

· Not suitable are gloves made of the following materials:

Strong material gloves Leather gloves

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

## 9 Physical and chemical properties

or Hydroun and Ghomical properties				
· General Information				
Form: Colour: Odour:	Fluid Colourless Characteristic			
Change in condition     Melting point/Melting range:     Boiling point/Boiling range:				
· Flash point:	36°C			
· Self-igniting:	Product is not selfigniting.			
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.			
· Vapour pressure:	Undetermined.			
· Density at 20°C:	0.8 g/cm³			
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.			
· Viscosity: Dynamic at 20°C:	2 mPas			
· Solvent content: Organic solvents:	100.0 %			

## 10 Stability and reactivity

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Dangerous reactions No dangerous reactions known.
- · Dangerous decomposition products: No dangerous decomposition products known.

(Contd. on page 4)



Printing date 26.05.2009 Revision: 26.05.2009

Trade name: Deprit Professional 4

(Contd. of page 3)

## 11 Toxicological information

· Acute toxicity:

· L	· LD/LC50 values relevant for classification:				
6	68551-17-7 Isoparaffin C10-C13				
	Oral	LD-50	34600 mg/kg (rat)		
[	Dermal	LD-50	15400 mg/kg (rabbit)		
	Inhalative	LC-50/4 h	>1200 mg/l (rat)		

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Harmful

## 12 Ecological information

· General notes: The product may not be released into the environment without control.

### 13 Disposal considerations

- · Product:
- Recommendation Dispose of in accordance with Local, State, and Federal Regulations.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

Land transport ADR/RID (cross-border)
 ADR/RID class: 3 Flammable liquids.

Danger code (Kemler): 30
UN-Number: 1993
Packaging group: III
Hazard label 3

· Description of goods: 1993 FLAMMABLE LIQUID, N.O.S. (not viscous) (BUTYL ACETATES)

· Maritime transport IMDG:

· IMDG Class: 3
· UN Number: 1993
· Label 3
· Packaging group: III
· EMS Number: F-E,S-E
· Marine pollutant: No

· Proper shipping name: FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES)

· Air transport ICAO-TI and IATA-DGR:

· ICAO/IATA Class: 3 · UN/ID Number: 1993 · Label 3 · Packaging group: III

· Proper shipping name: FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATES)

(Contd. on page 5)



Printing date 26.05.2009 Revision: 26.05.2009

Trade name: Deprit Professional 4

(Contd. of page 4)

## 15 Regulatory information

#### · Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



Xn Harmful

## · Hazard-determining components of labelling:

Isoparaffin C10-C13

### · Risk phrases:

10 Flammable.

65 Harmful: may cause lung damage if swallowed.

#### · Safety phrases:

- 43 In case of fire, use sand, carbon dioxide or powdered extinguishing agent. Never use water.
- 46 If swallowed, seek medical advice immediately and show this container or label.
- 56 Dispose of this material and its container to hazardous or special waste collection point.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The information of Items 4 through 8 and 10 through 12 partially refers not to the use and the proper application of the product (see Directions for Use/Product Information) but to the release of larger quantities in the case of accidents and irregularities.

The information exclusively describes the safety requirements of the product(s) and is based on the present state of our experience.

Non-ionic tensides can have varying characteristics and classifications despite same CAS-No.

### · Relevant R-phrases

- 10 Flammable.
- 65 Harmful: may cause lung damage if swallowed.
- 66 Repeated exposure may cause skin dryness or cracking.
- 67 Vapours may cause drowsiness and dizziness.

### Department issuing MSDS:

Abteilung TQM Herr Vogel

+49 (0) 611/9271-175

- · Contact: Herr Vogel
- \* Data compared to the previous version altered.

GB —